

```
#!/usr/bin/php -q
<?
require("/home/scopeuser/production/include_prefs.php");
$GLOBALS["ini_config"] = $ini_config;
$path = "/var/www".$GLOBALS["ini_config"]["webpath"];
chdir($path);
require("./libs/phpmailer/class.phpmailer.php");
require("./elements/metrics_generation.inc");
require("./elements/graphing/line_plot.inc");
require("./elements/timezone.inc");
//Connect to database
mysql_connect($ini_config["hostname"],$ini_config["db_user"],$ini_config["db_password"]) or die("Unable
to connect to the database");
mysql_select_db($ini_config["database"]) or die("Unable to select database");
class Message
        var $elements;
        var $recipient;
        var $notification type;
        var $timezone_offset;
        function init($elements, $recipient, $notification type) {
                $this->elements = $elements;
                $this->timezone_offset = get_timezone_offset($this->elements["user_id"], $this-
>elements["user_server_id"]);
                $this->recipient = $recipient;
                $this->notification_type = $notification_type;
        }
        function build()
                $this->elements["graphing_file"] = "line_plot";
                if ($this->notification_type == 'email') {
                        $this->build email();
                elseif ($this->notification_type == 'page') {
                        $this->build_page();
                }
        function graph_gen() {
                $metrics_dict = Array();
                $metrics_dict["hour_from"] = 0;
                $metrics dict["hour to"] = 24;
                $metrics dict["divisor"] = $this->elements['divisor'];
                $metrics_dict["legend"] = 1;
                $metrics dict["xgrid"] = 1;
```

```
$metrics_dict["ygrid"] = 1;
                $metrics_dict["items_to_graph"] = array($this->elements["monitor_id"]);
                $metrics_dict["mdr"] = 1;
                $metrics dict["watermark"] = 1:
                $metrics dict["view type"] = "last 24";
                $metrics_dict["timezone_offset"] = $this->timezone_offset * -1;
                $timestamps = timestamps_last24($metrics_dict['timezone_offset'], $this-
>elements['event_log_timestamp']);
                $metrics_dict['timestamp_from'] = $timestamps[0];
                $metrics dict['timestamp to'] = $timestamps[1];
                $metrics dict["generated timestamps"] = generate timestamps($metrics dict);
                $metrics dict['plot file'] = $this->elements["plot type"].".php";
                # Process Results Of The Last 24 Hours for the Metric
                $results data = process results($metrics dict, $this->elements);
                $this->elements['adjusted_unit'] = $results_data[1];
                # Generate Graph
                $gcid = line plot($metrics dict, $this->elements, $results data);
                $event_log = generate_event_log($metrics_dict, $this->elements);
                return Array($gcid, $event_log);
        }
        function build page()
        {
                // build the 120 char text body
                $page_char_max = 120;
                if ($this->elements["metric_type"] == "tunnel") {
                        $dividable = 2:
                        $this->page body = $this->elements["verdict"].":".$this-
>elements["tunnel alias"]."-".$this->elements["tunnel entry alias"]."-".$this->elements["metric name"];
                        if (sizeof($this->page_body) > $page_char_max) {
                                $excess = sizeof($this->page_body - $page_char_max);
                                $per_item = $excess / $dividable;
                                $this->page_body = $this->elements["verdict"].":".substr($this-
>elements["tunnel_alias"], 0, (-1 * $per_item))."-".substr($this->elements["tunnel_entry_alias"], 0, (-1 *
$per_item))."-".$this->elements["metric_name"];
                elseif ($this->elements["metric_type"] == "interface") {
                        $dividable = 2:
                        $this->page body = $this->elements["verdict"].":".$this-
>elements["device alias"]."-".$this->elements["interface alias"]."-".$this->elements["metric name"];
                        if (sizeof($this->page_body) > $page_char_max) {
                                $excess = sizeof($this->page_body - $page_char_max);
                                $per item = $excess / $dividable;
                                $this->page body = $this->elements["verdict"].":".substr($this-
>elements["device_alias"], 0, (-1 * $per_item))."-".substr($this->elements["interface_alias"], 0, (-1 *
$per_item))."-".$this->elements["metric_name"];
                elseif ($this->elements["metric_type"] == "vip") {
                        $dividable = 2:
                        $this->page body = $this->elements["verdict"].":".$this-
>elements["device_alias"]."-".$this->elements["vip_alias"]."-".$this->elements["metric_name"];
```

```
if (sizeof($this->page_body) > $page_char_max) {
                                 $exceed = sizeof($this->page_body - $page_char_max);
                                 $per item = $exceess / $dividable;
                                 $this->page body = $this->elements["verdict"].":".substr($this-
>elements["device_alias"], 0, (-1 * $per_item))."-".substr($this->elements["interface_alias"], 0, (-1 *
$per_item))."-".$this->elements["metric_name"];
                elseif ($this->elements["metric_type"] == "device") {
                         $dividable = 1;
                        $this->page_body = $this->elements["verdict"].":".$this-
>elements["device alias"]."-".$this->elements["metric name"];
                        if (sizeof($this->page body) > $page char max) {
                                 $excess = sizeof($this->page_body - $page_char_max);
                                 $per_item = $excess / $dividable;
                                 $this->page_body = $this->elements["verdict"].":".substr($this-
>elements["device_alias"], 0, (-1 * $per_item))."-".$this->elements["metric_name"];
        function build_email()
        {
                // generate plot
                list($this->gcid, $this->event log) = $this->graph gen();
                // url for image source
                $url = $GLOBALS["ini_config"]["url"];
                // build the text and html email subjects and bodys
                if ($this->elements["metric_type"] == "tunnel") {
                        $details = Array (
                                 Array("Tunnel Alias", $this->elements["tunnel_alias"]),
                                 Array("Tunnel Entry Alias", $this->elements["tunnel_entry_alias"]),
                                 Array("Metric", $this->elements["metric_name"]),
                                 Array("System Message", $this->elements["msg"])
                        );
                elseif ($this->elements["metric_type"] == "interface") {
                        $details = Array (
                                 Array("Device Alias", $this->elements["device_alias"]),
                                 Array("Interface Alias", $this->elements["interface alias"]).
                                 Array("Metric", $this->elements["metric name"]),
                                 Array("System Message", $this->elements["msg"])
                        );
                elseif ($this->elements["metric_type"] == "vip") {
                        $details = Array(
                                 Array("Device Alias", $this->elements["device_alias"]),
                                 Array("VIP Alias", $this->elements["vip_alias"]),
                                 Array("Metric", $this->elements["metric_name"]),
                                 Array("System Message", $this->elements["msg"])
                        );
                elseif ($this->elements["metric_type"] == "device") {
                        $details = Array (
```

```
Array("Device Alias", $this->elements["device alias"]),
                              Array("Metric", $this->elements["metric_name"]),
                              Array("System Message", $this->elements["msg"])
                      );
              }
               $formatted_details = "";
               foreach ($details as $detail) {
                      $formatted details = $formatted details.$detail[0].":
                                                                           ".$detail[1]."\n";
               $this->text body = sprintf(
                      "%s Alert Detected
%s",
                      ucwords($this->elements["verdict"]),
                      $formatted details
               );
               if ($this->elements["verdict"] == "OK") {
                      $verdict_clean = "Recovery";
               else {
                      $verdict clean = "Error";
               $formatted details = '';
               foreach ($details as $detail) {
                      $formatted_details = $formatted_details.'<td
align="right">'.$detail[0].":<b>".$detail[1]."</b>";
               $formatted details = $formatted details."";
               $this->html body = sprintf('
<html>
       <head>
               k rel="stylesheet" type="text/css" href="%sips_ccv2.css"/>
               <title>IP Sciences - Notifications - Alert</title>
       <body bgcolor="#ffffff" marginheight=40 marginwidth=0 topmargin=40 leftmargin=0>
               <div
                      align="center"
                      style="border:1px solid #000; margin-height:0px; margin-left:5px; margin-
right:5px; margin-top:0px; width:100%%; height:100%%">
                      <table
                              style="width:100%%;height:100%%"
                              summary="main layout"
                              bacolor="#ffffff"
                              border="0"
                              cellpadding="0" cellspacing="0">
                      <td width="182" valign="top" height="24"
background="%sgraphics/hdr_orange_ban.gif">
                                     <img alt="_" src="%sgraphics/dot_clear.gif' width="182"</pre>
height="24" border="0"/>
                              <img alt="_" src="%sgraphics/dot_clear.gif' width="2"
```

```
height="24" border="0"/>
                        <td valign="top" width="100%%" bgcolor="#3c60aa" align="center"
height="24">
                              <img alt=" " src="%sgraphics/stmt_geni.gif' border="0"/
height="24">
                        <img alt="ips logo" src="%sgraphics/ipslogo_cut.jpg"</pre>
border="0"/>
                        <img alt=" " src="%sgraphics/dot_clear.gif" width="2"
border="0"/>
                        <table width="100%%" bgcolor="#888895" border="0"
cellpadding="0" cellspacing="0">
                              <imq
src="%sgraphics/webhead_notifications.gif" width="305" height="60" alt="">
                                    <td width="100%%" height="100%%" align="center" valign="top"
bgcolor="#ffffff" colspan="3">
                              <br/>br/>
                              %s<br/>
                              <img alt="IPS Plot" src="cid:ipsplot" />
                              <br/>br/>
                              ', $url, $url, $url, $url, $url, $url, $url, $url, $formatted_details);
                 if($this->elements['plot_type'] != 'bar_plot') {
                       $this->html_body .= '
cellpadding="1" cellspacing="0">
                                    <table border="0" cellpadding="1" cellspacing="0"
bgcolor="#ffffff">
                                          <td colspan="3"
align="center"><h4>Legend</h4>
                       if($this->elements["metric type"] == 'device') {
                             $metric_alias = $this->elements['device_alias'].' - '.$this-
>elements['metric_name'];
```

```
elseif($this->elements["metric type"] == 'interface') {
                                   $metric_alias = $this->elements['device_alias'].' - '.$this-
>elements['interface_alias'].' - '.$this->elements['metric_name'];
                           elseif($this->elements["metric_type"] == 'vip') {
                                   $metric_alias = $this->elements['device_alias'].' - '.$this-
>elements['vip_alias'].' - '.$this->elements['metric_name'];
                            elseif($this->elements("metric_type") == 'tunnel') {
                                   $metric alias = $this->elements['tunnel alias'].$this-
                           - '.$this->elements['metric name'];
>elements['tunnel entry alias'].'
                            $metric_alias .= ' ('.$this->elements['adjusted_unit'].')';
                            $this->html body .= '';
                            $this->html body .= '<img src="'.$url.'graphics/legend 0.gif'
alt="">":
                            $this->html_body .= '<td style="font: 10px Arial, Sans-
Serif;">'.$metric_alias.'';
                           //output mdr
                           $this->html_body .= '';
               $this->html_body .= '<img src="".$url.'graphics/legend_1.gif" alt="">';
                  $this->html_body .= 'Median Data Range -
85%';
              $this->html body .= '':
                   $this->html body .= '':
               $this->html body .= '<img src="".$url.'graphics/legend 2.gif" alt=""">';
                  $this->html body .= 'Median Data Range -
95%':
              $this->html_body .= '';
                    $this->html body .= '';
               $this->html body .= '<img src="".$url.'graphics/legend 3.gif" alt="">';
                  $this->html_body .= 'Median Data Range -
99%';
              $this->html body .= '';
                           $this->html_body .= '<br>';
                           $this->html body .= sprintf('
                            ');
                    } else {
                           $this->html_body .= sprintf('<table bgcolor="#000000" border="0"
cellpadding="0" cellspacing="0"><img src="%sgraphics/avail_legend.png"
alt="">', $url);
                    $this->html_body .= ''.$this-
>event_log."<br>";
                    $this->html_body .= sprintf('
                    <td align="center" width="100%%" valign="top" bgcolor="#3c60aa"
colspan="3">
                                  <img src="%sgraphics/copyright_label.gif" alt="Copyright</pre>
image">
```

```
</div>
        </body>
</html>', $url);
        function send() {
                // send an individual notification
                $mail = new PHPMailer();
                if($this->notification_type == 'email') {
                        if ($this->gcid) {
                                $mail-
>AddEmbeddedImage($GLOBALS['ini_config']['graphcache']."/ips_".$this->gcid.".png", "ipsplot", $this-
>gcid.".png");
                        $mail->Subject = sprintf(
                                "%s - Alert [ID:%d%s]",
                                ucwords($this->elements["verdict"]),
                                $this->elements["monitor_id"],
                                $this->elements["account name"]
                        );
                        $mail->FromName = "IP Sciences";
                        $mail->From = "support@ipsciences.com";
                        $mail->Body = $this->html_body;
                        $mail->AltBody = $this->text_body;
                else {
                        $mail->FromName = "IPS";
                        $mail->From = "support@ipsciences.com";
                        $mail->Subject = "";
                        $mail->Body = $this->page_body;
                        $mail->AltBody = "";
                }
                $mail->AddAddress($this->recipient);
                $mail->Host = "localhost";
                $mail->Mailer = "smtp";
                if(!$mail->Send()) {
                        echo "Message was not sent";
                        echo "Mailer Error: ".$mail->ErrorInfo;
                }
                return 1;
        }
}
class Notification {
        var $elements = Array();
        function init($complete_notification) {
                // initialize the elements of the notification
                $this->elements = $complete notification;
        function grab_attributes() {
```

```
// grab notification attributes
$status = $this->elements["escalation"];
$tertiary_level = (
        10 + $this->elements["primary_escalation_delay"]
        + $this->elements["secondary_escalation_delay"]
        + $this->elements["tertiary_escalation_delay"]
);
$secondary_level = (
        5 + $this->elements["primary_escalation_delay"]
        + $this->elements["secondary_escalation_delay"]
);
$primary_level = $this->elements["primary_escalation_delay"];
$this->notification_email = 0;
$this->notification_page = 0;
if ($status > $tertiary_level) {
        $this->escalation_level = "tertiary";
        if ($this->elements["tertiary_email"]) {
                 $this->email contact = $this->elements["tertiary_email"];
                $this->notification email = 1;
        }
        if ($this->elements["tertiary_pager"]) {
                 $this->pager_contact = $this->elements["tertiary pager"];
                $this->notification_page = 1;
        }
}
if (
        ($this->notification_email == 0)
        && ($this->notification_page == 0)
        && ($status > $secondary_level)
) {
        $this->escalation_level = "secondary";
        if ($this->elements["secondary_email"]) {
                 $this->email_contact = $this->elements["secondary_email"];
                $this->notification_email = 1;
        if ($this->elements["secondary_pager"]) {
                 $this->pager_contact = $this->elements["secondary_pager"];
                $this->notification_page = 1;
        }
}
if (
        ($this->notification email == 0)
        && ($this->notification_page == 0)
        && ($status > $primary_level)) {
```

```
$this->escalation_level = "primary";
                         if ($this->elements["primary_email"]) {
                                 $this->notification email = 1;
                                 $this->email_contact = $this->elements["primary_email"];
                         if ($this->elements["primary_pager"]) {
                                 $this->notification_page = 1;
                                 $this->pager_contact = $this->elements["primary_pager"];
                         }
                else {
                         $this->escalation_level = "none";
        }
        function mark_sent() {
                // mark the notification sent
                $sql_mark_sent_notification = sprintf(
                         "UPDATE error_log SET timestamp = timestamp, notified = 1 WHERE
error_log_id=%d AND error_log_server_id=%d",
                         $this->elements['error_log_id'], $this->elements['error_log_server_id']);
                mysql_query($sql_mark_sent_notification);
        }
        function send() {
                // send notifications
                error = 0:
                if ($this->notification_email) {
                         $email_notification = new Message();
                         $email notification->init(
                                 $this->elements, $this->email_contact,
                                 'email');
                         $email_notification->build();
                         if($email_notification->send()) {
                                 \$error = 0;
                if ($this->notification_page) {
                         $email notification = new Message();
                         $email notification->init(
                                 $this->elements, $this->pager contact,
                                 'page');
                         $email_notification->build();
                         if($email_notification->send()) $error = 0;
                if ($error == 0) return 1;
                else return 0;
        }
}
function send_notifications($notification_objects) {
        // Send the notifications (one at a time in serial)
```

```
foreach ($notification objects as $notification object) {
                $notification object->grab attributes();
                if($notification_object->send()) {
                        $notification object->mark sent();
       }
}
function run() {
        // Run the notifications engine
        $notification objects = Array();
        $sql_get notifications = "SELECT DISTINCT error_log.*, DATE_FORMAT(error_log.timestamp,
'%Y%m%d%H%i%s') AS event_log_timestamp,
rule.*, rule_monitor.*, monitor.*, user.*, account.*, metric.*
FROM error_log, rule, rule_monitor, monitor, user, account, metric
WHERE error_log.notified = 0
AND rule.rule_id=error_log.rule_id
AND rule.rule_server_id=error_log.rule_server_id
AND rule_monitor.rule_id=rule.rule_id
AND rule_monitor.rule_server_id=rule.rule_server_id
AND rule_monitor.monitor_id=error_log.monitor_id
AND rule_monitor.monitor_server_id=error_log.monitor_server_id
AND monitor monitor id = rule monitor monitor id
AND monitor.monitor_server_id = rule_monitor.monitor_server_id
AND metric.metric_id = monitor.metric_id
AND metric.metric_server_id = monitor.metric_server_id
AND user.user id = rule.user id
AND user user server id = rule.user server id
AND account.account id = user.account id
AND account account server id = user.account server id ORDER BY error log.timestamp ASC";
        $queried_notifications = mysql_query($sql_get_notifications);
       while ($notification = mysql_fetch_assoc($queried_notifications)) {
                $complete notification = $notification;
                if($complete_notification["metric_type"] == "device") {
                       $sql_complete = sprintf(
                               "SELECT monitor_device.*, device.* FROM monitor_device, device
WHERE monitor device.monitor id=%d
AND monitor device.monitor server id=%d
AND device.device id=monitor device.device id
AND device.device server id=monitor device.device server id",
                               $complete_notification["monitor_id"],
$complete notification["monitor server id"]);
                elseif($complete_notification["metric_type"] == "interface") {
                       $sql complete = sprintf(
                               "SELECT monitor_interface.*, interface.interface_alias,
interface.interface_number, device.*
FROM monitor_interface, interface, device
WHERE interface_id=monitor_interface.interface_id
AND interface.interface server id=monitor interface.interface server id
AND device.device id=interface.device id
AND device.device Server id=interface.device server id
AND monitor interface monitor id=%d
```

```
AND monitor interface.monitor server id=%d", $complete notification["monitor id"],
$complete notification['monitor server id']);
                elseif($complete notification["metric type"] == "vip") {
                        $sql complete = sprintf(
                               "SELECT monitor_vip.*, vip.vip_alias, device.*
FROM monitor_vip, vip, device
WHERE vip.vip id = monitor vip.vip id
AND vip.vip_server_id = monitor_vip.vip_server_id
AND device.device id=vip.device id
AND device.device server id=vip.device server id
AND monitor_vip.monitor_id =%d
AND monitor_vip.monitor_server_id=%d", $complete_notification["monitor_id"],
$complete notification["monitor_server_id"]);
                elseif($complete notification["metric type"] == "tunnel") {
                        $sal complete = sprintf(
                               "SELECT monitor tunnel.*, tunnel.tunnel alias,
tunnel entry.tunnel entry alias
FROM monitor tunnel, tunnel entry, tunnel side
WHERE monitor_tunnel.monitor_id=%d
AND monitor_tunnel.monitor_server_id=%d
AND tunnel side.tunnel side id=monitor_tunnel.tunnel side id
AND tunnel side.tunnel side server id=monitor tunnel.tunnel side server id
AND tunnel_entry_id=tunnel_side.tunnel_entry_id
AND tunnel_entry.tunnel_entry_server_id=tunnel_side.tunnel_entry_server_id
AND tunnel.tunnel id=tunnel side.tunnel id
AND tunnel tunnel server id=tunnel side.tunnel server id", $complete notification["monitor id"],
$complete_notification["monitor_server_id"]);
                $queried notification_data = mysql_query($sql_complete);
                $more data = mysql fetch assoc($queried notification data);
               foreach(array keys($more data) as $key) {
                       $complete_notification[$key] = $more_data[$key];
               $notification object = new Notification();
               $notification object->init($complete notification);
               $notification_objects[] = $notification_object;
       }
        send notifications($notification objects);
}
run();
?>
```